

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

		010	CJA STRIPPER		
Creatio	on date 03	3rd July 2023			
Revisio	on date		Version	2.0 EU	
SECTIO	N 1: Identification of the substan	ce/mixture and of the compa	any/undertaking		
1.1.	Product identifier		GRACJA STRIPPER		
	Substance / mixture		mixture		
	UFI		Y858-56H4-C003-SQ	35	
1.2.	Relevant identified uses of the	e substance or mixture and u	ses advised against		
	Mixture's intended use				
	Liquid for removing old polyme	er-acrylic coatings, for thorou	gh floor cleaning		
	Main intended use				
	PC-CLN-13.1	Floor cleaning produ	ucts		
	Mixture uses advised against				
	The product should not be used	d in ways other than those re	ferred in Section 1.		
1.3.	Details of the supplier of the s	afety data sheet			
	Manufacturer				
	Name or trade name		P.W. ROKO Robert K	omorniczak	
	Address		ul. Wąska 23, Komorniki, 62-052		
			Poland		
	Identification number (CRN)	632379987		
	VAT Reg No		PL7810004269		
	Phone		+48618107819		
	E-mail		biuro@rokochemia.p	bl	
	Web address		rokochemia.pl		
	Competent person responsible	e for the safety data sheet			
	Name		P.W. ROKO Robert K	omorniczak	
	E-mail		biuro@rokochemia.p	bl	
1.4.	Emergency telephone number				
	European emergency number:	112			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Corr. 1, H314

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment Causes severe skin burns and eye damage. Toxic to aquatic life with long lasting effects.

2.2. Label elements



Signal word Danger

Hazard statements H314 Precautionary statements P102

Causes severe skin burns and eye damage.

Keep out of reach of children.



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023				
Revision date		Version	2.0 EU		
P280	Wear protective g	loves/protective clothing/eye protection	ction/face protection.		
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			g.		
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with wat			nated clothing. Rinse skin with water or shower.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to				
	do. Continue rinsi	ng.			
P310	Immediately call a	doctor.			
P405	Store locked up.				
P501	Dispose of conten returning to the su		ne person authorized to dispose of waste or by		

Supplemental information

<5 % phosphonates, <5 % anionic surfactants, <5 % non-ionic surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol	5-15	Eye Irrit. 2, H319	1, 2
CAS: 68439-51-0	Alcohols, C12-14, ethoxylated propoxylated	<5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Index: 014-010-00-8 CAS: 10213-79-3 EC: 229-912-9 Registration number: 01-2119449811-37-XXXX	Natriummetasilicat Pentahydrat	<3	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
CAS: 15763-76-5 EC: 239-854-6	Sodium p-cumenesulphonate	<3	Eye Irrit. 2, H319	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27-XXXX	sodium hydroxide	<2,5	Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2\% \le C < 5\%$ Skin Corr. 1A, H314: $C \ge 5\%$ Eye Irrit. 2, H319: $0.5\% \le C < 2\%$ Skin Irrit. 2, H315: $0.5\% \le C < 2\%$	

Notes

1 A substance for which exposure limits are set.

2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023		
Revision date		Version	2.0 EU

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system. If on skin Causes severe skin burns. If in eyes Causes serious eye damage. If swallowed Corrosion of the digestion system can occur. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

4.3.

Suitable extinguishing media

Symptomatic treatment.

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023		
Revision date	Y	Version	2.0 EU

6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
11	bottle	HDPE
51	jerry can	HDPE
10	jerry can	HDPE
20	jerry can	HDPE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union		Commission Directive 2006/15/EC
Substance name (component)	Туре	Value
	OEL 8 hours	67,5 mg/m ³
	OEL 8 hours	10 ppm
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL

2-(2-butoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers (0)	Dermal	20 mg/kg	Chronic effects systemic		
Workers (0)	Inhalation	67.5 mg/m ³	Chronic effects systemic		
Consumers (0)	Inhalation	50.6 mg/m ³	Acute effects local		
Consumers (0)	Dermal	10 mg/kg	Chronic effects systemic		
Consumers (0)	Inhalation	34 mg/m ³	Chronic effects systemic		
Consumers (0)	Oral	1.25 mg/kg	Chronic effects systemic		



03rd July 2023

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Version

Creation date Revision date

2.0 EU

Natriummetasilicat Per	· ·							
Workers / consumers	Route of exposure		Value	Effe	ct	Val	ue determination	Source
Workers (0)	Inhalation		6.22 mg/m ³	Chro	onic effects systemic			
Consumers (0)	Inhalation		1.55 mg/m ³	Chro	onic effects systemic			
Consumers (0)	Oral		0.74 mg/kg/24h	Chro	onic effects systemic			
Workers (0)	Dermal		1.49 mg/kg/24h	Chro	onic effects systemic			
Consumers (0)	Dermal		0.74 mg/kg/24h	Chro	onic effects systemic			
sodium hydroxide								
Workers / consumers	Route of exposure		Value	Effe	ct	Val	ue determination	Source
Workers (0)	Inhalation		1.0 mg/m³	Chro	onic effects local			
Consumers (0)	Inhalation		1.0 mg/m³	Chro	onic effects local			
Sodium p-cumenesulpł	honate							
Workers / consumers	Route of exposure		Value	Effe	ct	Val	ue determination	Source
Workers (0)	Dermal		7.6 mg/kg bw/day	Chro	onic effects systemic			
Workers (0)	Inhalation		53.6 mg/m ³	Chro	onic effects systemic			
Consumers (0)	Dermal		3.8 mg/kg bw	Chro	onic effects systemic			
Consumers (0)	Inhalation		13.2 mg/m ³	Chro	onic effects systemic			
Consumers (0)	Oral		3.8 mg/kg bw	Chronic effects systemic				
PNEC 2-(2-butoxyethoxy)etha	anol							
Route of exposure		Value			Value determination	Sou	irce	
Drinking water		1 mg/	I					
Marine water		0.1 mg	g/l					
Freshwater sediment		4 mg/	kg					
Sea sediments		0.4 mg	g/kg					
Soil (agricultural)		0.4 mg/kg						
Microorganisms in sewage 2 treatment		200 m	200 mg/l					
Oral		56 mg	;/kg					
Natriummetasilicat Per	ntahydrat					•		
Route of exposure Value				Value determination	Sou	ırce		
Drinking water		7.5 m	g/l					
Marine water		1 mg/	I					
Microorganisms in sew treatment	vage	1000 r						
Sodium p-cumenesulph	honate	1				1		1
		ſ						

Route of exposure	Value	Value determination	Source	
Drinking water	0.23 mg/l			
Water (intermittent release)	2.3 mg/l			
Microorganisms in sewage treatment	100 mg/kg			



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

	applicable r	estrictions on chemicals (REACH)		
	GR	ACJA STRIPPER		
Creation date	03rd July 2023			
Revision date		Version	2.0 EU	

8.2. **Exposure controls**

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

internation on basic physical and enclined properties	
Physical state	liquid
Colour	colourless
color intensity	transparent
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	≥100 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	12,5-13,5 (undiluted)
Kinematic viscosity	data not available
Solubility in water	easily dissolvable in cold water
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,03-1,07 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid
Other information	
not available	

SECTION 10: Stability and reactivity

9.2.

10.1. Reactivity not available 10.2. **Chemical stability** The product is stable under normal conditions. 10.3. Possibility of hazardous reactions

Unknown.



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023		
Revision date		Version	2.0 EU

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		2410 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD ₅₀		2764 mg/kg		Rabbit	

Alcohols, C12-14, ethoxylated propoxylated

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀		>2000 mg/kg		Rat (Rattus norvegicus)	

Natriummetasilicat Pentahydrat

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD₅o		1152-1349 mg/kg bw		Rat (Rattus norvegicus)	
Inhalation	LC ₅₀		>2.06 mg/m ³		Rat (Rattus norvegicus)	
Dermal	LD₅o		>5000 mg/kg bw		Rat (Rattus norvegicus)	

sodium hydroxide Method Route of exposure Parameter Value Exposure time Species Sex LD₅₀ Intraperitoneally 40 mg/kg Mouse Oral TDLo 500 mg/kg Rabbit Rat (Rattus TDLo Oral 44 mg/kg norvegicus)

Sodium p-cumenesulphonate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD ₅₀	OECD 401	2000 mg/kg		Rat (Rattus norvegicus)	
Inhalation	LC ₅₀		5 mg/l	232 minutes	Rat (Rattus norvegicus)	
Dermal	LD ₅₀		2000 mg/kg		Rabbit	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes severe skin burns and eye damage.



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023		
Revision date		Version	2.0 EU

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Natriummetasilicat Pentahydrat

Effect	Parameter	Value	Result	Species	Sex
	NOAEL	>159 mg/kg bw/day		Rat (Rattus norvegicus)	
	NOAEL	>200 mg/kg bw/day	Mouse		

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Natriummetasilicat Pentahydrat

1	Route of exposure	Parameter	Value	Result	Species	Sex
(Oral	NOAEL	227 mg/kg bw/day		Rat (Rattus norvegicus)	
(Oral	NOAEL	260 mg/kg bw/day		Mouse	

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxic to aquatic life with long lasting effects.

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		1300 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EL 50		>100 mg/l		Aquatic invertebrates (Daphnia magna)	
EC ₅₀	OECD 201	>100 mg/ml		Algae (Scenedesmus subspicatus)	
Alcohols, C12-14, eth	oxylated propoxylated		1		
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		>1-10 mg/l	96 hours	Fish	
Natriummetasilicat	Pentahydrat				
Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		210 mg/l	96 hours	Fish (Branchydanio rerio)	
EC ₅₀		1700 mg/l	48 hours	Invertebrates (Daphnia magna)	



03rd July 2023

SAFETY DATA SHEET

In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date Revision date

Version

2.0 EU

Natriummetasilicat Pe	entahydrat				
Parameter	Method	Value	Exposure time	Species	Environment
EC₅o		207 mg/l	72 hours	Algae (Scenedesmus subspicatus)	
sodium hydroxide					
Parameter	Method	Value	Exposure time	Species	Environment
EC₅o		40.4 mg/l	48 hours	Daphnia (Ceriodaphnia dubia)	
EC ₅₀		22 mg/l	15 minutes	Microorganisms (Photobacterium phosphoreum)	

Sodium p-cumenesulphonate

Parameter	Method	Value	Exposure time	Species	Environment
LC ₅₀		100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	OECD 202	100 mg/l	48 hours	Daphnia (Daphnia magna)	
EC₅o		100 mg/l	96 hours	Algae (Selenastrum capricornutum)	

12.2. Persistence and degradability

Biodegradability

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301C	80-90 %			Easily biodegradable
Sodium p-cumenesulp	ohonate				
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301	>60 %	28 days		Easily biodegradable

The mixture is biodegradable.

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

	ROKO	
	SA	FETY DATA SHEET
	In accordance with Regulat	tion (EC) No. 2020/878 of June 18, 2020 amending Annex II
	-	to Regulation No. 1907/2006
		the Council on the registration, evaluation, authorization and able restrictions on chemicals (REACH)
		GRACJA STRIPPER
Creatic Revisio	n date 03rd July 2023 n date	Version 2.0 EU
	Waste management legislation Directive 2008/98/EC of the European Parliament an establishing a list of wastes, as amended.	nd of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC
SECTIO	N 14: Transport information	
14.1.	UN number or ID number	
	UN 3266	
14.2.	UN proper shipping name	
	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	
14.3.	Transport hazard class(es)	
14 4 0-	8 Corrosive substances acking group	
14.4.26	III - substances presenting low danger	
14.5.Er	nvironmental hazards not	
	relevant	
14.6.Sp	ecial precautions for user	
	Reference in the Sections 4 to 8.	
14.7.M	aritime transport in bulk according to IMO instrument	ts not
	relevant	
	Additional information	
	Hazard identification No.	80
	UN number	3266
	Classification code	C5
	Safety signs	8
		8
	Air transport - ICAO/IATA	
	Packaging instructions passenger	852
	Cargo packaging instructions	856
	Marine transport - IMDG	
	EmS (emergency plan)	F-A, S-B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

 Creation date
 03rd July 2023

 Revision date
 Version

 2.0 EU

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

15.2. Chemical safety assess not available

SECTION	16: Other information				
	A list of standard risk phrases used in	the safety data sheet			
	H290	May be corrosive to metals.			
	H314	Causes severe skin burns and eye damage.			
	H315	Causes skin irritation.			
	H319	Causes serious eye irritation.			
	H335	May cause respiratory irritation.			
	Guidelines for safe handling used in the safety data sheet				
	P102	Keep out of reach of children.			
	P280	Wear protective gloves/protective clothing/eye protection/face protection.			
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.			
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.			
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to			
		do. Continue rinsing.			
	P310	Immediately call a doctor.			
	P405	Store locked up.			
	P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by			
		returning to the supplier.			
	Other important information about human health protection				
	The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user				
	is responsible for adherence to all related health protection regulations.				
	Key to abbreviations and acronyms us	ed in the safety data sheet			
	ADR	European agreement concerning the international carriage of dangerous goods by road			
	BCF	Bioconcentration Factor			
	CAS	Chemical Abstracts Service			
	CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures			
	EC	Identification code for each substance listed in EINECS			
	EC _{so}	Concentration of a substance when it is affected 50% of the population			
	EINECS	European Inventory of Existing Commercial Chemical Substances			
	EL ₅₀	Effective Loading for 50% of the tested organisms			
	EmS	Emergency plan			
	EU	European Union			
	EuPCS	European Product Categorisation System			
	ΙΑΤΑ	International Air Transport Association			
	IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals			



In accordance with Regulation (EC) No. 2020/878 of June 18, 2020 amending Annex II

to Regulation No. 1907/2006

European Parliament and of the Council on the registration, evaluation, authorization and

applicable restrictions on chemicals (REACH)

GRACJA STRIPPER

Creation date	03rd July 2023	2.0 511			
Revision date	Version	2.0 EU			
ICAO	International Civil Aviation Organization				
IMDG	International Maritime Dangerous Goods				
IMO	International Maritime Organization				
INCI	International Nomenclature of Cosmetic Ingredients	i			
ISO	International Organization for Standardization				
IUPAC	International Union of Pure and Applied Chemistry				
LC ₅₀	Lethal concentration of a substance in which it can b	be expected death of 50% of the population			
LD₅o	Lethal dose of a substance in which it can be expected	ed death of 50% of the population			
log Kow	Octanol-water partition coefficient				
NOAEL	No observed adverse effect level				
OEL	Occupational Exposure Limits				
PBT	Persistent, Bioaccumulative and Toxic				
ppm	Parts per million				
REACH	Registration, Evaluation, Authorisation and Restrictic	on of Chemicals			
RID	Agreement on the transport of dangerous goods by	rail			
UN	Four-figure identification number of the substance of	or article taken from the UN Model Regulations			
UVCB	Substances of unknown or variable composition, cor	mplex reaction products or biological materials			
VOC	Volatile organic compounds				
vPvB	Very Persistent and very Bioaccumulative				
Met. Corr.	Corrosive to metals				
Skin Corr.	Skin corrosion				
STOT SE	Specific target organ toxicity - single exposure				
Training guidelines					
	Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the				
product.					
Recommended restric	Recommended restrictions of use				
not available	not available				
Information about dat	Information about data sources used to compile the Safety Data Sheet				
REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixtu					
information from regis					
• •	The changes (which information has been added, deleted or modified)				
	The version 2.0 replaces the SDS version from 02 January 2023. Changes were made in sections 2, 15 and 16.				
	More information Classification procedure - calculation method.				

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.